LAB 11 INTRODUCTION: PROSECTION LAB: PELVIC SKELETON, PELVIC CAVITY, AND PELVIC VESSELS; PERINEUM 10/13/2022

Students:

- Unlike most lab sessions, which are dissection-based, this session is a "prosection lab."
- > Assemble in 5 groups, each having ~16 members.
- > There are 5 learning stations situated around the labs. Pick a station to start at.
- Groups will spend about 25 minutes at each station, rotating around the labs until they have visited all the stations.
- ① Use the checklists provided to make sure you have identified all the relevant structures.

LAB 11, STATION 1: PELVIC SKELETON AND LIGAMENTS




Pelvic Skeleton (Pelvic Girdle): Two Hip Bones + Sacrum

Hip bone (coxal bone) = Composed of three fused bones: Ilium + Ischium + Pubis

Features of pelvic skeleton as a whole:


- **Greater sciatic notch**
- Lesser sciatic notch
- **Obturator foramen** (covered by a membrane in a living person)
- 🗌 Acetabulum
- □ Ischiopubic ramus = inferior pubic ramus + ramus of ischium
- Pubic arch
- **Pelvic inlet** (superior pelvic aperture)
- Pelvic brim
- **Pelvic outlet** (inferior pelvic aperture)



>

>

Figure 11.1. Pelvic skeleton, anterior view.



•

•

Figure 11.4. Hip bone, anterior view.

Pubis

<

<

- Pubic crest
- Pubic tubercle
- Superior pubic ramus
- Inferior pubic ramus

Ischium

- □ Ischial tuberosity
- □ Ischial spine
- Lesser sciatic notch

llium

- 🔲 Ala ("wing")
- 🔲 Iliac crest
- 🔲 Iliac fossa
- □ Anterior superior iliac spine
- ☐ Anterior inferior iliac spine
- **Posterior superior iliac spine**
- Posterior inferior iliac spine

Sacrum—5 fused vertebrae

) S	
	COMPLETE ANATOMY SACRUM	
Pelvic surface		
Anterior sacral foramina		
Dorsal surface		
Posterior sacral foramina		

Sacral canal and Sacral hiatus

Promontory

Ala (left and right)

Coccyx (tail bone)—3 or 4 vertebrae fused into one or two pieces




Figure 11.7.





Comparison of Male and Female Bony Pelves

Bony Pelvis	Male (්)	Female (γ)
General structure	Thick and heavy	Thin and light
Greater pelvis (false pelvis)	Deep	Shallow
Lesser pelvis (true pelvis)	Narrow and deep, tapering	Wide and shallow, cylindrical
Pelvic inlet (superior pelvic aperture)	Heart-shaped, narrow	Oval and rounded; wide
Pelvic outlet (inferior pelvic aperture)	Comparatively small	Comparatively large
Pubic arch and subpubic angle	Narrow (<70°)	Wide (>80°)
Obturator foramen	Round	Oval
Acetabulum	Large	Small
Greater sciatic notch	Narrow (~70°); inverted V	Almost 90°

Figure 11.8.

Ligaments of the Pelvic Skeleton (Study on the model)

- □ Sacrotuberous ligament
- Greater sciatic foramen (What are its boundaries?)
- Sacrospinous ligament
- Lesser sciatic foramen (What are its boundaries?)
- Anterior and posterior sacroiliac ligaments (reinforce the sacroiliac joints)
- **Pubic symphysis** (contains an **interpubic disc** made of cartilage)



COMPLETE ANATOMY PELVIC LIGAMENTS


LAB 11 \cdot PAGE 6 OF 29

Note

0

<

A "symphysis" is a cartilaginous joint. What type of cartilage is found in a symphysis? Where else have we encountered a symphysis in the body? [Think spine.]



>

Figure 11.9. Pelvic skeleton and ligaments.

CHECKLIST, LAB #11 CHECKLIST ITEMS AT EACH OF THE FIVE STATIONS ARE INDICATED BY CHECKBOXES.

.

LAB 11, STATION 2: Pelvic Cavity and Anal Triangle of Perineum



COMPLETE ANATOMY MUSCLES OF THE PELVIC CAVITY

Pelvic Cavity

The **pelvic cavity** is below the **pelvic brim**, within the confines of the pelvic skeleton. It is continuous with the abdominal cavity above = the abdominal and pelvic cavities communicate via the **pelvic inlet**. The pelvic cavity is closed below by the muscular **pelvic diaphragm**.

Walls of Pelvic Cavity

- ✓ **Anterior = Bone** (pubic bones and pubic symphysis)
- ✓ Posterior = Bone (sacrum)
- ✓ **Postero-lateral** = Muscles (obturator internus and piriformis)
- ✓ Floor = Muscle (pelvic diaphragm)





Does the pelvic cavity have a roof?

LAB 11 \cdot PAGE 8 OF 29

Muscles in the Postero-Lateral Wall

Study the **muscles of the pelvic wall** and the **pelvic diaphragm** on the *models* and *hemisected prosection*.





Floor of the Pelvic Cavity = Pelvic Diaphragm

Pelvic Diaphragm: has two parts = Levator ani and Coccygeus (see Figures 11.13 and 11.14).

Three named portions: **Pubococcygeus**, **iliococcygeus**, and **puborectalis**

The levator ani is like a hammock in the pelvic floor—it slopes downward from lateral to medial, where its left and right halves meet in the midline.


☐ Its lateral bony attachments are to the spine of the ischium posteriorly and the pubic bone anteriorly.

Between these bones, the levator ani attaches along a curved line of pelvic fascia called the **tendinous arch**. The tendinous arch crosses the **obturator internus** muscle.

Coccygeus muscle—stretches from the spine of ischium to the coccyx

✓ The pelvic diaphragm is the floor of the pelvic cavity

- ✓ The pelvic diaphragm is the roof of the perineum
- The perineum is therefore outside and below the pelvic cavity.



>

Figure 11.13. Superior view—the pelvic diaphragm is in the floor of the pelvic cavity.


<

?

What are the functions of the pelvic diaphragm? How does the orientation of the pelvic diaphragm relate to its function? What could happen if the pelvic diaphragm were weak?

• •

The **puborectalis muscle** forms a sling around the **anorectal junction** and its contraction produces the **anorectal (perineal) flexure**. Two consequences: (1) closure of the anorectal junction aids in fecal continence – preventing defecation, and (2) contraction during defecation regulates the size of the feces passed.



LAB 11 \cdot PAGE 11 OF 29

Anal Triangle



The anal triangle is the posterior part of the perineum.




Review

The perineum is diamond-shaped. It has two triangles. What are their names?

We will view the anal triangle in a prone cadaver. It is helpful to have a model of the perineum handy and to place the model in the same position.

Contents of the Anal Triangle

- Anal canal and Anus—the anal canal is the terminal part of the alimentary canal; the anus is its external orifice.
- **External anal sphincter**—is this composed of skeletal or smooth muscle?
- **Ischio-anal fossae** (left and right)—see Figure 11.16.



Gilroy, Atlas of Anatomy, 3rd ed., Fig. 19.14 A, Illustrator: Wesker/Voll, ©2017 Thieme Medical Publishers, Inc. All Rights Reserved.

Figure 11.16. Anal triangle. The fat pads in the ischio-anal fossae have been removed.

Boundaries of the ischio-anal fossae:

- ✓ **Roof:** The sloping inferior surface of the pelvic diaphragm
- ✓ Floor: Skin
- ✓ Medial: Anal canal and external anal sphincter
- ✓ Lateral: Obturator internus muscle
- ✓ Anterior: Communicates with the deep perineal pouch in the urogenital triangle
- ✓ **Posterior:** Gluteus maximus muscle and sacrotuberous ligament
- The ischio-anal fossae contain large fat pads. What is their function?
- In the lateral wall of the ischio-anal fossa are the pudendal nerve and internal pudendal vessels. These traverse the ischio-anal fossa in a fascia-lined tunnel called the pudendal canal (Alcock's canal). See Figure 11.17.





Where does the internal pudendal artery arise? Where does the internal pudendal vein drain?




Figure 11.17. The pudendal nerve and internal vessels traverse the ischio-anal fossa within the pudendal canal, in the lateral wall of the fossa.

Coronal section = The ischio-anal fossae (filled with fat) are indicated with **asterisks**.

LAB 11, STATION 3: FEMALE PERINEUM (UROGENITAL TRIANGLE)



COMPLETE ANATOMY FEMALE PERINEUM

What are the boundaries of the perineum? What are its triangles called? (Fig. 11.18)

This station covers the female **urogenital (UG) triangle**. The **anal triangle** has a similar construction in both sexes—it is covered at Station 2.



?

The UG triangle contains: (1) the **external genitalia (vulva)** and (2) two fascia-lined spaces: **superficial and deep perineal pouches**.

✓ The external genitalia (vulva) are located on the surface of the UG triangle.





Figure 11.18. Female perineum showing its triangles.

External Genitalia (Vulva)



>

<

Figure 11.19. External genitalia of female.

• •


identify these on an undissected cadaver and models:

- Mons pubis
- 🔲 Labia majora
- **Pudendal cleft** (the space between the labia majora)
- 🔲 Labia minora

Superiorly, the labia minora split into two parts around the clitoris:

Prepuce of clitoris (fusion of labia minora above the clitoris— forms a "hood" over the clitoris)


Frenulum of clitoris (fusion of the labia minora below the clitoris)



Clitoris: Crura, body and glans (the body is under the prepuce, the crura are attached to the ischiopubic rami – see Figure 11.21)

✓ Vestibule (the cavity between the labia minora)—Within the vestibule are these openings:

- **External urethral orifice**
- **Vaginal orifice** (aka = **Introitus**)





LAB 11 \cdot PAGE 17 OF 29

Superficial Perineal Pouch

Review of boundaries:

- ✓ **Floor:** Superficial perineal fascia (Colle's Fascia)
- **Roof:** Perineal membrane (a robust layer of deep fascia)
- ✓ Lateral: Ischiopubic rami
- ✓ Anterior (apex of triangle): Pubic symphysis

Posterior (base of triangle): Line between ischial tuberosities—the fascias of the UG triangle fuse here

Contents of the female superficial perineal pouch (cadaver and models):

Bulbs of the Vestibule—paired, elongated erectile bodies on each side of the vaginal orifice

☐ Greater vestibular (Bartholin's) glands—lie on each side of the vestibule at 4:00 and 6:00 positions – their ducts empty into the vestibule adjacent to the vaginal orifice. What is their function?

- **Ischiocavernosus muscles**—cover the crura of the clitoris (erectile tissue)
- **Bulbospongiosus muscles**—cover the bulbs of the vestibule (erectile tissue)
- Superficial transverse perineal muscles



1010

[Muscles in the UG triangle are not well developed in most cadavers.]




Figure 11.22. Contents of superficial perineal pouch in female.

?

Although it is on the border between the UG and anal triangles, identify the location of the **perineal body**.

Why is the perineal body a structurally important landmark? It is larger and clinically more important in females.

LAB 11, STATION 4: MALE PERINEUM (UROGENITAL TRIANGLE)



COMPLETE ANATOMY MALE PERINEUM

This station covers the **male urogenital triangle**. The **anal triangle** has a similar construction in both sexes—it is covered at Station 2.

As in the female, the UG triangle contains: (1) the external genitalia and (2) two fascia-lined spaces: superficial and deep perineal pouches.





Figure 11.23. Surface anatomy of male perineum.

Male External Genitalia

Identify these structures on the cadaver:

- **Scrotum and scrotal raphe** (*raphe = seam*; where two halves come together)
- Penis (the penis has three parts: **Root, body, and glans**—the latter two are visible externally)
 - Body (shaft)
 - \Box Glans and corona of glans
 - 🔲 Surfaces of penis: Dorsal and urethral
 - **Prepuce (foreskin) of penis** (if present)
 - **External urethral orifice**

On the dorsal surface of the penis (from lateral to medial):





COMPLETE ANATOMY CROSS-SECTION OF THE PENIS

- Erectile bodies: Corpora cavernosa (2)
 and Corpus spongiosum
- Spongy urethra—within the corpus spongiosum
- Deep arteries of penis—in the center of the corpora cavernosa
- The erectile bodies have a capsule called the **tunica albuginea**
- Deep penile fascia (Buck's fascia) surrounds the erectile bodies and binds them together




Figure 11.25. Cross section of penis.




Figure 11.26. Parts of the penis.

Superficial Perineal Pouch

Review of Boundaries:

- ✓ **Floor**: Superficial perineal fascia (Colle's Fascia)
- ✓ **Roof**: Perineal membrane (a robust layer of deep fascia)
- ✓ Lateral: Ischiopubic rami
- ✓ Anterior (apex of triangle): Pubic symphysis
- Posterior (base of triangle): Line between ischial tuberosities—the fascias of the UG triangle
 fuse here

Contents of the male superficial perineal pouch (cadaver and models):

Root of the penis:

- **Crura (2)** (these are the proximal parts of the corpora cavernosa—they attach to the ischiopubic rami)
- Bulb of the penis (expanded proximal part of the corpus spongiosum—attached to the perineal membrane)
- ☐ Ischiocavernosus muscles (cover the crura)
- Bulbospongiosus muscles (two muscles, but they are fused in a midline raphe—they cover the bulb of the penis)
- Superficial transverse perineal muscles




Figure 11.27. Contents of superficial perineal pouch in male.

What is the male counterpart of the female greater vestibular (Bartholin's) glands? Are these located in the male superficial perineal pouch?"




Figure 11.28. Contents of superficial perineal pouch in both sexes.

CHECKLIST, LAB #11

 \bigcirc

CHECKLIST ITEMS AT EACH OF THE FIVE STATIONS ARE INDICATED BY CHECKBOXES.

LAB 11, STATION 5: OVERVIEW: PELVIC ORGANS AND VESSELS

This station is an overview. It will prepare you for the next lab, where you will dissect and identify the pelvic organs and their parts and the branches of the internal iliac artery.



Pelvic Organs

Identify the following organs in the female:

Urinary bladder

🔲 Rectum

🔲 Uterus

🔲 Fallopian (Uterine) tube

-	•
Ova	aries

🔲 Broad ligament

Round ligament of uterus

- Suspensory (Infundibulopelvic) ligament of the ovary
- Recto-uterine pouch (pouch of Douglas)
- **Vesico-uterine pouch**

Identify the following organs in the male:

🔲 Rectum

- Prostate
- Seminal vesicles
- Ductus deferens (pelvic portion)
- ☐ Male urethra—has three parts: Prostatic, intermediate, spongy
- Recto-vesical pouch

Pelvic Vessels

Identify the **common iliac**, **internal iliac**, and **external iliac arteries**.



Identify the following branches of the internal iliac artery.



Note

The branches are highly variable—trace them to their destinations to identify them.

LAB 11 \cdot PAGE 27 OF 29

From the posterior division:

Iliolumbar artery—ascends over the pelvic brim to the lower lumbar region

- Lateral sacral arteries—pass into the anterior sacral foramina
- **Superior gluteal artery**—exits the pelvic cavity through the greater sciatic foramen ABOVE the piriformis muscle



COMPLETE ANATOMY POSTERIOR DIVISION OF INTERNAL ILIAC ARTERY

From the anterior division:

- Umbilical artery:
 - The proximal part is called the **patent part** (it transmits blood)—**superior vesical arteries** to the bladder branch from the patent part
 - ☐ The part distal to the superior vesical arteries, on the anterior abdominal wall, is called the **obliterated part**. The obliterated part is also called the **medial umbilical ligament**. It can be traced upwards to the umbilicus.
- **Obturator artery**—trace it to the obturator canal in the obturator membrane
- **Inferior gluteal artery**—exits the greater sciatic foramen BELOW the piriformis muscle
- □ Internal pudendal artery—exits the greater sciatic foramen below the piriformis muscle (with the inferior gluteal artery); the major blood supply to the perineum
- Uterine artery (in female)—as it approaches the cervix, it crosses over the ureter ("Bridge over Water")
- **Middle rectal artery**—often branches from the internal pudendal artery



COMPLETE ANATOMY ANTERIOR DIVISION OF INTERNAL ILIAC ARTERY

LAB 11 · PAGE 29 OF 29